

**CNPS Grassland Initiative Bibliography**  
**July 2007**

- Abraham, J. K., J. D. Corbin, et al. (2003). "Phenology and seedling competition affect regeneration of perennial grasses in California exotic annual grasslands." Ecological Society of America Annual Meeting Abstracts **88**: 5.
- Ackerman, J. T., J. Y. Takekawa, et al. (2006). "Spatial use by wintering greater white-fronted geese relative to a decade of habitat change in California's Central Valley." Journal of Wildlife and Management **70**(4): 965-976.
- Adams, T. E. and B. L. Kay (1985). Phalaris, orchardgrass, fescue and selected minor grasses. Part I. Perennial grasses for California rangelands. Proc. 38th Ann. Meeting Soc. for Range Management.
- Adams, T. E., C. E. Vaughn, et al. (1999). "Geographic races may exist among perennial grasses." California Agriculture **53**: 33-38.
- Ahmed, E. O. (1983). Fire ecology of *Stipa pulchra* in California annual grassland. Davis, Univ. of California
- Alexander, J. M. and C. M. D'Antonio (2003). "Seed bank dynamics of French broom in coastal California grasslands: Effects of stand age and prescribed burning on control and restoration." Restoration Ecology **11**(2): 185-197.
- Allen-Diaz, B. and R. D. Jackson (2001). "Spring-fed plant communities of California's East Bay hills oak woodlands." Madroño **48**(2): 98-111.
- Amme, D. (2002). San Bruno Mountain stewardship grazing plan. Resource Restoration and Management. Albany, CA.
- Amme, D. (2003). "Creating a native meadow." Grasslands **13**(3): 1, 9-11.
- Amme, D. (2005). "UC Richmond Field Station's remnant coastal terrace grassland." Grasslands **15**(2): 3-5.
- Amme, D. and B. M. Pitschel (1989). Restoration and management of California's grassland habitats. Society for Ecological Restoration and Management Annual Meeting. January 16-20 1989, Oakland, California.
- Anderson, M. K. and M. J. Moratto (1996). Native American land-use practices and ecological impacts. Sierra Nevada Ecosystem Project: Final report to Congress, vol II, Assessments and scientific basis for management options. Davis, University of California, Centers for Water and Wildland Resources.
- Anderson, R. L., L. K. Spiegel, et al. (1991). Southern San Joaquin Valley Ecosystem protection program: Natural lands inventory and maps. Sacramento, California Energy Commission: 41 p. and six maps.
- Anderson, R. S. and B. F. Byrd (1998). "Late-Holocene vegetation changes from the Las Flores Creek coastal lowlands, San Diego County, California." Madroño **45**(2): 171-182.
- Armstrong, J. K. and L. F. Huenneke (1992). Spatial and temporal variation in species composition in California grasslands: the interaction of drought and substratum. The vegetation of ultramafic (serpentine) soils. A. J. M. Baker, J. Proctor and R. D. Reeves. Andover, England, Intercept Ltd: 213-233.
- Axelrod, D. I. (1985). "Rise of the grassland biome, central North America." Botanical Review **51**: 163-202.

- Baack, E. J., N. C. Emery, et al. (2006). "Ecological factors limiting the distribution of *Gilia tricolor* in a California grassland mosaic." Ecology (Washington D C) **87**(11): 2736-2745.
- Bailey, R. G. (1995). Description of the ecoregions of the United States, second edition. Miscellaneous Publication 1391. Washington, DC., USDA Forest Service.
- Baird, G. I. (2004). "A revision of *Agoseris apargioides* (Asteraceae: Lactuceae)." SIDA Contributions to Botany **21**(2): 715-716.
- Baker, H. G. (1978). Invasion and replacement in California and neotropical grasslands. Melbourne, Australia, CSIRO.
- Baker, H. G. (1989). Sources of naturalized grasses and herbs in California grasslands. Grassland structure and function: California annual grassland. L. F. Huenneke and H. A. Mooney. Dordrecht, Kluwer Academic Publishers.
- Barbour, M. G., and N.L. Christensen (1993). Vegetation. Flora of North America. New York, NY., Oxford University Press: 97-131
- Barbour, M. G., J.H. Burk, W.D. Pitts, F.S. Gilliam, and M.W. Schwartz (1999). Terrestrial plant ecology, third edition. New York, NY., Addison Wesley Longman.
- Barry, S., S. Larson, et al. (2006). "California native grasslands: A historical perspective - A guide for developing realistic restoration objectives." Grasslands **16**(1): 7-11.
- Barry, W. J. (1972). The Central Valley prairie. Sacramento, CA., The Resources Agency, Department of Parks and Recreation.
- Barry, W. J. (1981). "Jepson prairie - will it be preserved?" Fremontia **9**(1): 7-11.
- Barry, W. J. (2003). "California primeval grasslands and management in the State Parks System." Grasslands **13**: 4-8.
- Bartolome, J. W. (1979). "Germination and seedling establishment in California annual grassland." Journal of Ecology **67**: 273-281.
- Bartolome, J. W. (1981). "*Stipa pulchra*, a survivor from the pristine prairie." Fremontia **9**(1): 3-6.
- Bartolome, J. W. (1989). Ecological history of the California Mediterranean-type landscape. Proc. of the Man and the Biosphere Symposium, Landscape Ecology: Study of Mediterranean Grazed Ecosystems, Nice, France. October 7-8, 1989. Dept. of Agron. & Rng. Sci., Univ. of Calif., Davis.
- Bartolome, J. W. (1998). Ecological history of California grasslands. Berkeley, CA.
- Bartolome, J. W., W.J. Barry, T. Griggs, and P. Hopkinson (2007). Valley grassland Terrestrial vegetation of California, third edition. M. G. Barbour, T. Keeler-Wolf, and A. Schoenherr. Berkeley, CA (in press). University of California Press.
- Bartolome, J. W., J. S. Fehmi, et al. (2004). "Response of a native perennial grass stand to disturbance in California's Coast Range Grassland." Restoration Ecology **12**(2): 279-289.
- Bartolome, J. W. and B. Gemmill (1981). "The ecological status of *Stipa pulchra* (Poaceae) in California." Madroño **28**: 172-184.
- Bartolome, J. W., S. E. Klukkert, et al. (1986). "Opal phytoliths as evidence for displacement of native California grassland." Madroño **33**: 217-222.
- Batzli, G. O. and F. A. Pitelka (1970). "Influence of meadow mouse populations on California Grassland." Ecology **51**(6): 1027-1039.
- Bauder, E. T. (2005). "The effects of an unpredictable precipitation regime on vernal pool hydrology." Freshwater Biology **50**: 2129-2135.

- Bauer, H. L. (1930). "Vegetation of the Tehachapi Mountains, California." Ecology **11**((2)): 263-280.
- Beetle, A. A. (1947). "Distribution of the native grasses of California." Hilgardia **17**: 309-357.
- Bell, D. T. and C. H. Muller (1973). "Dominance of California annual grasslands by *Brassica nigra*." American Midland Naturalist **90**: 277-299.
- Bentley, J. R. and M. W. Talbot (1948). "Annual-Plant vegetation of the California Foothills as related to range management." Ecology **29**(1): 72-79.
- Biswell, H. H. (1956). "Ecology of California grasslands." Journal of Range Management **9**((1)): 19-24.
- Blumler, M. A. (1992). "Some myths about California grasslands and grazers." Fremontia **20**: 22-27.
- Boulton, A. M., K. F. Davies, et al. (2005). "Species richness, abundance, and composition of ground-dwelling ants in northern California grasslands: Role of plants, soil, and grazing." Environmental Entomology **34**(1): 96-104.
- Bowerman, M. L. (1944). The flowering plants and ferns of Mount Diablo, California. Their distribution and association into plant communities.
- Briske, D. D., S. D. Fuhlendorf, et al. (2003). "Vegetation dynamics on rangelands: a critique of the current paradigms." Journal of Applied Ecology **40**: 601-614.
- Brooks, M. L. (1999). "Alien annual grasses and fire in the Mojave Desert." Madroño **46**: 13-19.
- Brooks, M. L., and D.A. Pyke (2001). Invasive plants and fire in the deserts of North America. Proceedings of the Invasive Species Workshop: The role of fire in the spread and control of invasive species, Fire Conference 2000: The first national congress on fire ecology, prevention, and management. Miscellaneous Publication 11. K. E. M. Galley, and T.P. Wilson. Tallahassee, FL, Tall Timbers Research Station: 1-14.
- Brooks, M. L. (2001). "An overview of North Coast grasses: Diversity and distribution across the landscape." Grasslands **11**(2): 1-4.
- Brooks, M. L., and J.R. Matchett (2003). "Plant community patterns in unburned and burned blackgrush shrublands in the Mojave Desert, western North America." American Naturalist **65**: 283-298.
- Brooks, M. L., and R.A. Minnich (2007). Fire in the southeastern desert bioregion, Chapter 16. Fire in California ecosystems. N. Sugihara, et al. Berkeley (in press), University of California Press.
- Brooks, M. L. and T. Esque (2000). "Alien grasses in the Mojave and Sonoran deserts." Proceedings, California Exotic Pest Plant Council Symposium **6**: 39-44.
- Brown, C. S. (1998). "Restoration of California Central Valley grasslands: applied and theoretical approaches to understanding interactions among prairie species." Davis, CA: University of California."
- Brown, C. S. and R. L. Bugg (2001). "Effects of established perennial grasses on introduction of native forbs in California." Restoration Ecology **9**(1): 38-48.
- Brown, D. E., Ed. (1982). Biotic communities of the American Southwest-United States and Mexico, in desert plants Superior, AZ, Boyce Thompson Southwestern Arboretum.
- Brown, D. E. (1982). Californian valley grassland Biotic communities of the American

- Southwest-United States and Mexico, Desert Plants. **4**: 132-135.
- Brown, J. R. and S. Archer (1989). "Woody plant invasion of grasslands: establishment of honey mesquite (*Prosopis glandulosa* var. *glandulosa*) on sites differing in herbaceous biomass and grazing history." Oecologia **80**: 19-26.
- Buck, J. J. (2004). Temporal vegetation dynamics in Central and Northern California vernal pools. Department of Plant Biology. Davis, University of California. **Master of Science**.
- Buck, J. J. (2006). "Classification of annual grasslands in California." Grasslands **17**(4): 7-9.
- Buisson, E., E. Corcket, et al. (2004). "Restoring old fields by seeding and transplanting keystone species in the grasslands of California central coast." Ecological Society of America Annual Meeting Abstracts **89**: 72.
- Buisson, E., K. D. Holl, et al. (2006). "Effect of seed source, topsoil removal, and plant neighbor removal on restoring California coastal prairies." Restoration Ecology **14**(4): 569-577.
- Burcham, L. T. (1957). California range land: an historico-ecological study of the range resource of California. Sacramento, CA., Division of Forestry. Department of Natural Resources.
- Burcham, L. T. (1975). Climate, structure, and history of California's annual grassland ecosystem. The California Annual Grassland Ecosystem. R. M. Love. Davis, CA, The Institute of Ecology Publication No. 7. University of California at Davis: 16-31.
- Butterfield, H. S. and C. M. Malmstrom (2004). "Phenological changes in the relationship between NDVI and aboveground biomass in California annual grasslands." Ecological Society of America Annual Meeting Abstracts **89**: 75-76.
- Calegari, V. (2003). "Native grasslands on Delta levees." Grasslands **13**(1): 1, 6.
- Callaway, R. M. and F. W. Davis (1993). "Vegetation dynamics, fire, and the physical environment in Coastal Central California." Ecology **74**(5): 1567-1578.
- Carroll, L. C. and F. A. De Szalay (2004). "American bittern nesting in the San Joaquin Valley, California." Prairie Naturalist **36**(1): 33-42.
- Carsten, L. D., B. Maxwell, et al. (2001). "Impact of crown rust (*Puccinia coronata* f. sp. *avenae*) on competitive interactions between wild oats (*Avena fatua*) and stipa (*Nassella pulchra*)." Biological Control **22**: 207-218.
- Chadden, A., E. Dowksza, et al. (2004). Adaptive management for Southern California Grasslands, University of California, Santa Barbara.
- Cheng, S. (2004). Forest Service Research Natural Areas in California. General Technical Report PSW-GTR-188. Albany, CA., USDA Forest Service, Pacific Southwest Research Station.
- Chiariello, N. R. (1989). Phenology of California grasslands. Grassland structure and function: California annual grassland. L. F. Huenneke and H. A. Mooney. Dordrecht, The Netherlands, Kluwer Academic Publishers.
- Clark, H. W. (1937). "Association types in the North Coast ranges of California." Ecology **18**(2): 214-230.
- Clements, F. E. (1934). "The relict method in dynamic ecology." Journal of Ecology **22**: 39-68.
- CNPS (2001). Plot data from the central and northern Sierra Nevada foothills

- (unpublished file). Sacramento, CA, California Native Plant Society.
- Coleman, H. M. and J. M. Levine (2007). "Mechanisms underlying the impacts of exotic annual grasses in a coastal California meadow." Biological Invasions **9**(1): 65-71.
- Colwell, W. L. J. (1977). The status of vegetation mapping in California today. Terrestrial vegetation of California. M. G. Barbour and J. Major. New York, John Wiley & Sons: 195-220.
- Cooper, D. W. (1960). "Fort Baker ranges return to champagne grasses." Journal of Range Management, **13**: 203-205.
- Corbin, J. D. and C. M. D'Antonio (2004). "Competition between native perennial and exotic annual grasses: Implications for an historical invasion." Ecology (Washington D C) **85**(5): 1273-1283.
- Corbin, J. D., C. M. D'Antonio, et al. (2004). Tipping the balance in the restoration of native plants. Experimental approaches to changing the exotic:native ratio in California Grasslands. Experimental approaches to conservation biology. M. S. Gordon and S. M. Bartol. Berkeley, University of California Press.
- Corbin, J. D., M. A. Thomsen, et al. (2005). "Summer water use by California coastal prairie grasses: fog, drought, and community composition." Oecologia **145**: 511-521.
- Cox, G. W. (1984). "The distribution and origin of Mima Mound grasslands in San Diego County, California." Ecology (Washington D C) **65**(5): 1397-1405.
- Crampton, B. (1959). "The grass genera *orcuttia* and *neostapfia*: a study in habitat and morphological specialization." Madroño **15**(4): 97-128.
- Crampton, B. (1974). Grasses in California. Berkeley, University of California, Press.
- Cutler, J. E. (2006). Accuracy assessment of high resolution multispectral satellite imagery for remote sensing identification of wetlands and classification of vernal pools in eastern Sacramento County, California. Sacramento, CA, California State University. **Master in Biological Sciences**.
- CVIS (2006). California vegetation information system. Database query, May, 2006 (unpublished file). Sacramento, CA., Vegetation Classification and Mapping Program, Department of Fish and Game.
- D'Antonio, C., S. Bainbridge, et al. (2000). Ecology and restoration of California grasslands with special emphasis on the influence of fire and grazing on native grassland species. Paper. Department of Integrative Biology, U.C. Berkeley, CA. Funded by David and Lucile Packard Foundation.: 99 pp.
- DaSilva, P. G. and J. W. Bartolome (1984). "Interaction between a shrub, *Baccharis pilularis* subsp. *cosanguinea* (Asteraceae) and an annual grass, *Bromus mollis* (Poaceae), in coastal California." Madroño **31**: 93-101.
- Daubenmire, R. F. (1970). Steppe vegetation of Washington. Technical Bulletin 62. Pullman, WA., Washington State University, Agricultural Experiment Station
- Davies, K. F., P. L. Chesson, et al. (2003). "Scale matters: How spatial scale alters the diversity-invasibility relationship." Ecological Society of America Annual Meeting Abstracts **88**: 81-82.
- Davis, O. K. (1999). "Pollen analysis of Tulare Lake, California: Great Basin-like vegetation in Central California during the full-glacial and early Holocene." Review of Palaeobotany and Palynology **107**(3-4): 249-257.
- DeSimone, S. A. and E. Clarke (2002). "Mechanical control of the grassland exotic,

- Cynara cardunculus*, in a southern Californian nature preserve." Ecological Society of America Annual Meeting Abstracts **87**: 112.
- Desimone, S. A. and P. H. Zedler (1997). "Shrub population dynamics in unburned Californian coastal sage scrub and adjacent grassland." Bulletin of the Ecological Society of America **78**(4 SUPPL.): 79.
- Dickert, C. (2005). "Giant garter snake surveys at some areas of historic occupation in the grassland ecological area, Merced Co. and Mendota Wildlife Area, Fresno Co., California." California Fish and Game **91**(4): 255-269.
- Dremann, C. C. (1987). Grasses of California: distribution maps. Redwood City, CA, Redwood City Seed Company.
- Dremann, C. C. (1988). Prairie relicts in California: a guidebook based on Dr. James Barry's 1971 survey and maps. Redwood City, CA, Redwood City seed Company: 37 p.
- Dukes, J. S. (2001). "Biodiversity and invasibility in grassland microcosms." Oecologia (Berlin) **126**(4): 563-568.
- Dukes, J. S. (2002). "Species composition and diversity affect grassland susceptibility and response to invasion." Ecological Applications **12**(2): 602-617.
- Duncan, D. A. (1975). The San Joaquin site of the grassland biome: its relation to annual grassland ecosystem synthesis. The California Annual Grassland Ecosystem. R. M. Love. Davis, CA, Institute of Ecology Publication No. 7. University of California, Davis: Pages 4-6.
- Dyer, A. R. (2003). "Burning and grazing management in a California grassland: Growth, mortality, and recruitment of *Nassella pulchra*." Restoration Ecology **11**(3): 291-296.
- Dyer, A. R. and K. J. Rice (1997). "Intraspecific and diffuse competition: The response of *Nassella pulchra* in a California grassland." Ecological Applications **7**(2): 484-492.
- Dyer, A. R. and K. J. Rice (1999). "Effects of competition on resource availability and growth of a California bunchgrass." Ecology (Washington D C) **80**(8): 2697-2710.
- Edwards, S. W. (1992). "Observations on the prehistory and ecology of grazing in California." Fremontia **20**(1): 3-11.
- Elliot, H. W. I., and J.D. Wehausen (1974). "Vegetational succession on coastal rangeland of Point Reyes Peninsula." Madroño **22**: 231-238.
- Evens, J. M., and S. San (2005). Vegetation alliances of the San Dieguito River Park region, San Diego County, California. Sacramento, CA, California Native Plant Society.
- Evens, J. M., E. Kentner, and J. Klein (2006). Classification of vegetation associations from the Mount Tamalpais Watershed, Nicasio Reservoir, and Soulajule Reservoir in Marin County, CA. Report to Marin Municipal Water District. Sacramento, CA, California Native Plant Society.
- Evens, J. M. and S. San (2004). Vegetation associations of a serpentine area: Coyote Ridge, Santa Clara County, California. Sacramento, CA., California Native Plant Society.
- Fehmi, J. S. (1998). Small scale patterns and associations of common grasses and forbs of California Mediterranean grasslands. Berkeley, University of California.
- Fehmi, J. S. and J. W. Bartolome (2002). "Species richness and California voles in an

- annual and a perennial grassland." Western North American Naturalist **62**(1): 73-81.
- Fehmi, J. S., E. A. Laca, et al. (2001). "The effect of small gaps in California annual grassland on above-ground biomass production." Grass and Forage Science **56**(4): 323-329.
- Fehmi, J. S., K. J. Rice, et al. (2004). "Radial dispersion of neighbors and the small-scale competitive impact of two annual grasses on a native perennial grass." Restoration Ecology **12**(1): 63-69.
- Fiedler, P. L., and R.A. Leidy (1987). "Plant communities of Ring Mountain Preserve, Marin County, California." Madroño **34**: 173-192.
- Fisher, R. N. and H. B. Shaffer (1996). "The decline of amphibians in California's great Central Valley." Conservation Biology **10**(5): 1387-1397.
- Fitch, H. S. (1948). "Ecology of the California ground squirrel on grazing lands." American Midland Naturalist **39**: 513-596.
- Fitch, H. S. and J. R. Bentley (1949). "Use of California annual-plant forage by range rodents." Ecology **30**: 306-321.
- Flahault, C., and C. Schroeter (1910). Nomenclature phytogéographique. Rapports et propositions. Bruxelles, Ile, Congres International de Botanique.
- Fleskes, J. P., R. L. Jarvis, et al. (2002). "Distribution and movements of female northern pintails radiotagged in San Joaquin Valley, California." Journal of Wildlife Management **66**(1): 138-152.
- Foin, T. C. and M. M. Hektner (1986). "Secondary succession and the fate of native species in a California coastal prairie community." Madroño **33**(3): 189-206.
- Ford, L. D. and G. Hayes (2007). Northern coastal scrub and coastal prairie, Chapter 7. Terrestrial vegetation of California, third edition. M. G. Barbour, T. Keeler-Wolf, and A. Schoenherr. Berkeley, CA (in press), University of California Press.
- Gelbard, J. L. (2002). "Effects of landscape structure on native and exotic plant diversity in California grasslands." Ecological Society of America Annual Meeting Abstracts **87**: 138.
- Gelbard, J. L. and S. Harrison (2003). "Roadless habitats as refuges for native grasslands: interactions with soil, aspect, and grazing." Ecological applications **13**(2): 404-415.
- Gerhardt, F. (2004). "Exotic plant invasions alter ecosystem structure and composition in a California annual grassland." Ecological Society of America Annual Meeting Abstracts **89**: 176.
- Gerlach, J. D. (2000). A model experimental system for predicting the invasion success and ecosystem impacts of nonindigenous summer-flowering annual plants in California's Central Valley grasslands and oak woodlands. Davis, CA, University of California. **PhD dissertation**.
- Germano, D. J., G. B. Rathbun, et al. (2001). "Managing exotic grasses and conserving declining species." Wildlife Society Bulletin **29**(2): 551-559.
- Gillespie, I. G. (2005). "Habitat characteristics and distribution of *Erodium macrophyllum* (Geraniaceae)." Madroño **52**(1): 53-59.
- Gillespie, I. G. and E. B. Allen (2002). "Restoring *Erodium macrophyllum* (Gerianaceae) to a southern California grassland: Impacts of fire and invasive species." Ecological Society of America Annual Meeting Abstracts **87**: 355-356.

- Gillespie, I. G. and E. B. Allen (2004). "Fire and competition in a southern California grassland: impacts on the rare forb *Erodium macrophyllum*." Journal of Applied Ecology **41**(4): 643-652.
- Goerrissen, J. H. (2004). "Habitat associations of grassland birds in native and exotic California grasslands." Ecological Society of America Annual Meeting Abstracts **89**: 180-181.
- Gordon, A. and A. W. Sampson (1939). Composition of common California foothill plants as a factor in range management. . Berkeley, CA., University of California. Agricultural Experimental Station. Bulletin N° 627: 95 pp.
- Gram, W. K., E. T. Borer, et al. (2004). "Distribution of plants in a California serpentine grassland: are rocky hummocks spatial refuges for native species?" Plant Ecology **172**: 159-171.
- Green, A. R. and J. M. McGraw (2004). "Exotic plants restrict the distribution of a rare endemic plant in serpentine grasslands." Ecological Society of America Annual Meeting Abstracts **89**: 187.
- Green, J. L., J. Harte, et al. (2003). "Species richness, endemism and abundance patterns: Tests of two fractal models in a serpentine grassland." Ecology Letters **6**(10): 919-928.
- Green, L. R. and J. R. Bentley (1957). Seeding and grazing trials of *Stipa* on foothill ranges. For. Res. Notes, Calif. For. Range Exp. Sta., U.S.D.A. For. Serv.: 7 pp.
- Green, S. (1999). Rare and threatened vegetation of the California North Coastal Basin: A Regional inventory, Legacy-The Landscape Connection.
- Grossman, D. H., K. Goodin, M. Anderson, P. Bourgeron, M.T. Bryer, R. Crawford, L. Engelking, D. Faber-Langendoen, M. Gallyoun, S. Landaal, K. Metzler, K.D. Patterson, M. Pyne, M. Reid, L. Sneddon, and A.S. Weakley (1998). International classification of ecological communities: Terrestrial vegetation of the United States, volume 1. Arlington, VA, The Nature Conservancy.
- Gulmon, S. L. (1977). "A comparative study of the grassland of California and Chile." Flora **166**: 261-278.
- Hamilton, J. G. (1997). "Changing perceptions of pre-European grasslands in California." Madrono **44**(4): 311-333.
- Hamilton, J. G., J. R. Griffin, et al. (2002). "Long-term population dynamics of native *Nassella* (Poaceae) bunchgrasses in central California." Madrono **49**(4): 274-284.
- Hamilton, J. G., C. Holzapfel, et al. (1999). "Coexistence and interference between a native perennial grass and non-native annual grasses in California." Oecologia (Berlin) **121**(4): 518-526.
- Harpole, W. S. and E. W. Seabloom (2002). "Exotic dominance of CA grasslands: Don't judge a grassland by its cover." Ecological Society of America Annual Meeting Abstracts **87**: 152.
- Harpole, W. S. and D. Tilman (2004). "Resource limitation, diversity, and productivity in a California grassland." Ecological Society of America Annual Meeting Abstracts **89**: 207.
- Harrison, S. (1999). "Native and alien species diversity at the local and regional scales in a grazed California grassland." Oecologia (Berlin) **121**(1): 99-106.
- Harrison, S. and B. D. Inouye (2002). "High B diversity in the flora of Californian



- serpentine 'islands'." Biodiversity and Conservation **11**: 1869-1876.
- Harrison, S., B. D. Inouye, et al. (2003). "Ecological heterogeneity in the effects of grazing and fire on grassland diversity." Conservation Biology **17**(3): 837-845.
- Harrison, S., H. D. Safford, et al. (2006). "Regional and local species richness in an insular environment: serpentine plants in California." Ecological Monographs **76**(1): 41-56.
- Harrison, S., J. H. Viers, et al. (2000). "Climatic and spatial patterns of diversity in the serpentine plants of California." Diversity and Distributions **6**(3): 153-161.
- Harrison, S. (1999). "Local and regional diversity in a patchy landscape: native, alien, and endemic herbs on serpentine." Ecology **80**: 70-80.
- Hatch, D. A., J. W. Bartolome, et al. (1999). "Effects of burning and grazing on a coastal California grassland." Restoration Ecology **7**(4): 376-381.
- Hayes, G., and L. Ford (2007). Coastal terrace prairie and north coastal scrub, Chapter 7. Terrestrial vegetation of California, third edition. M. G. Barbour, T. Keeler-Wolf, and A. Schoenherr. Berkeley, CA (in press), University of California Press.
- Hayes, G. F. and K. D. Holl (2003). "Cattle grazing impacts on annual forbs and vegetation composition of mesic grasslands in California." Conservation Biology **17**(6): 1694-1702.
- Heady, H. F. (1956). "Changes in California annual plant community induced by manipulation of natural mulch." Ecology **37**: 781-798.
- Heady, H. F. (1956). "Evaluation and measurement of the California annual type." Journal of Range Management **9**: 25-27.
- Heady, H. F. (1958). "Vegetational changes in the California annual type." Ecology **39**(3): 402-416.
- Heady, H. F. (1961). "Continuous vs. specialized grazing systems: A review and application to the California annual type." Journal of Range Management **14**(4): 182-193.
- Heady, H. F. (1972). Burning and the grasslands in California. Proceedings Annual Tall Timbers Fire Ecology Conference. June 8-9.
- Heady, H. F. (1977). Valley grasslands. Terrestrial vegetation of California. M. G. Barbour and J. Major. New York, John Wiley and Sons: 491-514.
- Heady, H. F., T.C. Foin, M.M. Hektner, D.W. Taylor, M.G. Barbour, and W.J. Barry (1988). Coastal prairie and northern coastal scrub. Terrestrial vegetation of California, second edition. M. G. Barbour, and J. Major Sacramento, CA, California Native Plant Society: 733-760.
- Heady, H. F. (1988). Valley grassland. Terrestrial vegetation of California, second edition. M. G. Barbour, and J. Major. Sacramento, CA, California Native Plant Society: 491-533.
- Heady, H. F., J. W. Bartolome, et al. (1988). The California prairie. Natural grasslands: Introduction and western hemisphere. R. T. Coupland. New York, New York, Elsevier Science: 313-335.
- Hektner, M. M., R.W. Martin, and D.R. Davenport (1983). The bald hills prairies of Redwood National Park. Proceedings of the first biennial conference of research in California's National Parks, Cooperative Parks Studies Unit. C. Van Riper III, L.D. Whittig, and M.L. Murphy. Davis, CA, University of California: 70-78.
- Hektner, M. M. and T. C. Foin (1977). "Vegetation analysis of a northern California

- coastal prairie: Sea Ranch, Sonoma County, California." Madroño **24**: 83-103.
- Hickson, D. and T. Keeler-Wolf (2007). Vegetation classification of the Sacramento-San Joaquin River Delta. Sacramento, CA, Unpublished report for California Department of Fish and Game, Bay Delta Division.
- Hill, M. A. (1979). TWINSpan: A Fortran program for arranging multivariate data in an ordered two-way table by classification of the individuals and attributes. Ithaca, NY, Section of Ecology and Systematics, Cornell University.
- Hobbs, E. R. (1986). "Characterizing the boundary between California annual grassland and coastal sage scrub with differential profiles " Plant Ecology **65**(2): 115-126.
- Hobbs, R. J. (1985). "Harvester ant foraging and plant species distribution in annual grassland." Oecologia **67**: 519-523.
- Hobbs, R. J. and H. A. Mooney (1991). "Effects of rainfall variability and gopher disturbance on serpentine annual grassland dynamics." Ecology **72**(1): 59-68.
- Hobbs, R. J. and H. A. Mooney (1995). "Spatial and temporal variability in California annual grassland: Results from a long-term study." Journal of Vegetation Science **6**: 43-56.
- Holland, R. F. (1986). Preliminary descriptions of the terrestrial natural communities of California. Unpublished document. Sacramento, CA, California Department of Fish and Game, Natural Heritage Division.
- Holland, V. L., and D.J. Keil (1995). California vegetation. Dubuque, Iowa, Kendall/Hunt.
- Holstein, G. (2000). Plant communities ecotonal to the Baylands. Baylands ecosystem species and community profiles: life histories and environmental requirements of key plants, fish, and wildlife. Goals Project (Baylands Ecosystem Habitat Goals), San Francisco Bay Regional Water Quality Control Board, . P. R. Olofson. Oakland, California: 49-67.
- Holstein, G. (2001). "Pre-agricultural grassland in Central California." Madroño **48**(4): 253-264.
- Hooper, D. U. (1998). "The role of complementarity and competition in ecosystem responded to variation in plant diversity." Ecology **79**(2): 704-719.
- Hooper, D. U. and J. S. Dukes (2001). "Complementarity among grassland functional groups." Ecological Society of America Annual Meeting Abstracts **86**: 20.
- Hoopes, M. F. and L. M. Hall (2002). "Edaphic factors and competition affect pattern formation and invasion in a California grassland." Ecological applications **12**(1): 24-39.
- Hopkinson, P. and L. Huntsinger (2005). "Are East Bay hills grasslands a historical artifact? Phytolith evidence and a potential candidate for the true East Bay vegetation type." Grasslands **15**(1): 7-9.
- Howard, A. (1981). "Native grasslands endangered at Hungry Valley." Fremontia **9**(1): 12.
- Howell, J. T. (1957). "The California flora and its province." Leaflets Western Bot **8**((5)): 133-138.
- Hrusa, F., B. Ertter, et al. (2002). "Catalogue of non-native vascular plants occurring spontaneously in California beyond those addressed in The Jepson Manual: Part I." Madroño **49**: 61-98.
- Huenneke, L. F. (1989). Distribution and regional patterns of Californian grasslands. Grasslands structure and function: California annual grassland. L. F. Huenneke

- and H. A. Mooney. Dordrecht, Kluwer Academic Publishers: Pages 1-12.
- Huenneke, L. F., S. P. Hamburg, et al. (1990). "Effects of soil resources on plant invasion and community structure in Californian Serpentine Grassland." Ecology **7**(2): 478-491.
- Huenneke, L. F. and H. A. Mooney (1989). The California annual grassland: an overview. Dordrecht, Netherlands, Kluwer Academic Publishers.
- Huenneke, L. F. and H. A. Mooney (1989). Grassland structure and function. California annual grassland. Boston, Kluwer Academic Publishers.
- Huffaker, C. B. (1951). "The return of native perennial bunchgrass following the removal of Klamath weed (*Hypericum perforatum* L.) by imported beetles." Ecology **32**: 443-458.
- Hufford, K. M. and S. Mazer (2003). "Local adaptation and restoration of California native grass-lands." Ecological Society of America Annual Meeting Abstracts **88**: 159.
- Hull, J. C. and C. H. Muller (1977). "The potential for dominance by *Stipa pulchra* in a California grassland." American Midland Naturalist **97**: 147-175.
- Hunt, J. (1992). "Feeding ecology of valley pocket gophers (*Thomomys bottae sanctidiegi*) on a California Coastal Grassland " American Midland Naturalist **127**(1): 41-51.
- Huntsinger, L. (1999). "Reconstructing the range: California grazing eco-stories." AAAS Annual Meeting and Science Innovation Exposition **165**: A.19.
- Jackson, L. E. (1985). "Ecological origins of California's Mediterranean grasses." Journal of Biogeography **12**: 349-361.
- Jackson, L. E. and L. C. Bliss (1982). "Distribution of ephemeral herbaceous plants near treeline in the Sierra Nevada, California, USA." Arctic and Alpine Research **14**(1): 33-42.
- Jackson, R. D. and J. W. Bartolome (2002). "A state-transition approach to understanding nonequilibrium plant community dynamics in Californian grasslands." Plant Ecology **162**(1): 49-65.
- Janes, E. B. (1969). Botanical composition and productivity in the California annual grassland in relation to rainfall. Berkeley, University of California.
- Jennings, M., et al. (2007). "Guidelines for describing associations and alliances of the U.S. national vegetation classification." Ecological Monographs (in press).
- Jimerson, T. M., J.W. Menke, S.K. Carothers, M.P. Murray, V. VanSickle, and K.H. McClellan (2000). Field guide to the rangeland vegetation types of the northern province. General Technical Report R5-ECOL-TP-014. Albany, CA, USDA Forest Service, Pacific Southwest Region.
- Jones, B. J. (1948). "California oatgrass." Pacific Stockman **14**(6).
- Jones, B. J. and J. B. Brown (1947). Irrigated pastures in California, Calif. Agric. Extension Service, Circular 125: 48 pp.
- Jones, B. J. and R. M. Love (1945). Improving California ranges. Circular 129, Calif. Agric. Ext. Service. College of Agriculture, U.C. Berkeley: 48 pp.
- Jones, M. B. and R. G. Woodmansee (1979). "Bio geochemical cycling in annual grassland ecosystems." Botanical Review **45**: 111-144.
- Kay, B. L., R. M. Love, et al. (1981). "Discussion: revegetation with native grasses: I. a disappointing history." Fremontia **9**(3): 11-15.

- Keeler-Wolf, T. (1987). An ecological survey of the proposed Crater Creek Research Natural Area, Klamath National Forest, Siskiyou County, California. Unpublished Report. Albany, CA, USDA Forest Service, Pacific Southwest Research Station.
- Keeley, J. (2002). Fire and invasive species in Mediterranean-climate ecosystems of California. Proceedings of the invasive species workshop: the role of fire in the control and spread of invasive species, Fire Conference 2000: The first national congress on fire ecology, prevention, and management. Miscellaneous Publication 11. K. E. M. Galley, and T.P. Wilson. Tallahassee, FL, Tall Timbers Research Station: 81-94.
- Keeley, J. E. (1990). The California Valley Grassland. Endangered plant communities of Southern California. Proceedings of the 15th Annual Symposium. October 28, 1989, Fullerton, California State University.
- Keeley, J. E. (2002). "Native American impacts on fire regimes of the California coastal ranges." Journal of Biogeography **29**(3): 303-320.
- Keeley, J. E. and C. J. Fotheringham (2005). "Plot shape effects on plant species diversity measurements." Journal of Vegetation Science **16**(2): 249-256.
- Kellogg, E. M. and J. L. Kellogg (1990). A study on the distribution and pattern of perennial grassland on the Camp Pendleton - Marine Corps Base.
- Kennedy, P. G. (2005). "Post-dispersal seed predation varies by habitat not acorn size for *Quercus chrysolepis* (Fagaceae) and *Lithocarpus densiflora* (Fagaceae) in central coastal California." Madrono **52**(1): 30-34.
- Kimball, S. and P. M. Schiffman (2003). "Differing effects of cattle grazing on native and alien plants." Conservation Biology **17**(6): 1681-1693.
- King, R. J. (2005). Population changes of invasive annuals in California annual and perennial grasslands. 20th International Grassland Congress, June 26 -July 01, 2005, Dublin, Ireland, XX International Grassland Congress: Offered papers: 623, 2005.
- Klein, A., and J.M. Evens (2006). Vegetation alliances of western Riverside County, California. Sacramento, CA, California Native Plant Society.
- Kolb, A., P. Alpert, et al. (2002). "Patterns of invasion within a grassland community." Journal of Ecology **90**(5): 871-881.
- Kruckeberg, A. (1984). California serpentes: flora, vegetation, geology, soils and management problems. Berkeley, University of California Press.
- Kruckeberg, A. (1991). Serpentine biota of Western North America. The vegetation of ultramafic (serpentine) soils. A. J. M. Baker, J. Proctor and R. D. Reeves. Andover, Hampshire: 19-33.
- Kruckeberg, A. R. (1969). "Soil diversity and the distribution of plants, with examples from Western North America." Madroño **20**: 129-154.
- Kuchler, A. W. (1964). Potential natural vegetation of the conterminous United States. Special Publication 36. New York, NY, American Geographic Society.
- Kuchler, A. W. (1977). Natural vegetation of California: a map and an expanded legend. Terrestrial vegetation of California, first edition. M. G. Barbour, and J. Major. New York, NY, Wiley Interscience.
- Laude, H. M. (1949). "Delayed germination of California oatgrass, *Danthonia californica*." Agronomy Journal **41**: 404-408.
- Leiva, M. J., F. S. I. Chapini, et al. (1997). "Differences in species composition and

- diversity among mediterranean grasslands with different history. The case of California and Spain." Ecography **20**(2): 97-106.
- Levine, J. M. and M. Rees (2004). "Effects of temporal variability on rare plant persistence in annual systems." American Naturalist **164**(3): 350-363.
- Levine, J. M. and M. Rees (2004). "How do exotic species invasions enhance our understanding of how rare plants persist?" Ecological Society of America Annual Meeting Abstracts **89**: 297-298.
- Levine, J. M., M. Vila, et al. (2003). "Mechanisms underlying the impacts of exotic plant invasions." Proceedings of the Royal Society **270**: 775-781.
- Lidicker, W. Z. (1989). Impacts of non-domesticated vertebrates on California grasslands. Grassland structure and function: California annual grassland. L. F. Huenneke and H. A. Mooney. Boston, Kluwer Academic Publishers: 135-150.
- Lobo, A., K. Moloney, et al. (1995). "Fine-scale pattern of a serpentine Grassland: A study based on digitized CIR imagery." Bulletin of the Ecological Society of America **76**(2 SUPPL. PART 2): 159-160.
- Love, M. R. (1944). "Preliminary trials on the effect of management on the establishment of perennial grasses and legumes at Davis." Journal of the American Society of Agronomy **36**: 699-703.
- Love, M. R. (1975). The California annual grassland ecosystem. Anaheim, CA, Institute of Ecology, Publication N° 7.
- Love, R. M. (1948). "Eight new forage plants developed for California ranges." California Agriculture **2**(1).
- Love, R. M. (1951). "Range grass and reseeding experiments in California." California Agriculture **5**(1).
- Lulow, M. E. (2004). "The role of priority effects in the development of California native grassland communities in the northern Central Valley." Ecological Society of America Annual Meeting Abstracts **89**: 311.
- Lulow, M. E. (2006). "Invasion by Non-Native Annual Grasses: The Importance of Species Biomass, Composition, and Time Among California Native Grasses of the Central Valley." Restoration Ecology **14**(4): 616-626.
- Magney, D. L. (1992). "Descriptions of three new southern California vegetation types: southern cactus scrub, southern coastal needlegrass grassland, and scalebroom scrub." Crossosoma **18**: 1-9.
- Malmstrom, C. M., T. M. Yoshida, et al. (2004). "Mapping invasive species in California annual grasslands with multi-temporal remote sensing." Ecological Society of America Annual Meeting Abstracts **89**: 319.
- Maron, J. L. and R. L. Jefferies (2001). "Restoring enriched grasslands: Effects of mowing on species richness, productivity, and nitrogen retention." Ecological Applications **11**(4): 1088-1100.
- McBride, J. R. (1974). "Plant succession in the Berkeley Hills, California." Madroño **22**: 317-329.
- McCarten, N. F. (1992). Community structure and habitat relations in a serpentine grassland in California. The vegetation of ultramafic (serpentine) soils. A. J. M. Baker, J. Proctor and R. D. Reeves. Andover, Hampshire: 207-211.
- McClanahan, M. (2002). "A recent history of Californias native grasslands." Grasslands **12**(3): 1, 5.

- McClaran, M. P. and J. W. Bartolome (1981). "Discussion: revegetation with native grasses: II. A promising future." Fremontia **9**(3): 14-15.
- McClintock, E., P. Reeberg, and W. Knight (1990). A flora of the San Bruno Mountains. Sacramento, CA, California Native Plant Society.
- McClung, W. J. (2004). "Twice-annual cutting to support native grasslands in the Berkeley Hills: Ten years, four examples." Grasslands **14**(2): 6-8.
- McCune, J. (2005). "The rediscovery of *Dissanthelium californicum* on Santa Catalina Island." Grasslands **15**(3): 1,4-5.
- McNaughton, S. J. (1968). "Structure and function in California grasslands." Ecology **49**: 962-972.
- Menke, J. W. (1992). "Grazing and fire management for native perennial grass restoration in California grasslands." Fremontia **20**: 22-25.
- Mensing, S. and R. Byrne (1998). "Pre-mission invasion of *Erodium cicutarium* in California." Journal of Biogeography **25**(4): 757-762.
- Merriam, K. E., J. E. Keeley, et al. (2006). "Fire breaks affect nonnative species abundance in Californian plant communities." Ecological Applications **16**(2): 515-527.
- Miller, H. W. (1963). "Cucamonga California bromegrass (*Bromus corinatus*)." Crop Science **3**(5): 462.
- Moe, L. M. (2004). "A floristic study of Fort Tejon State Historic Park Kern County, California." Crossosoma **30**(2): 45-77.
- Moloney, K. A., and S.A. Levin (1996). "The effects of disturbance architecture on landscape-level population dynamics." Ecology **77**: 375-394.
- Moody, A. and D. M. Johnson (2001). "Land-surface phenologies from AVHRR using the discrete Fourier transform." Remote Sensing of Environment **75**(3): 305-323.
- Morghan, K. R. (2004). "The ecology of *Aristida ternipes* var. *hamulosa* and *Aristida oligantha* in northern California and Oregon." Grasslands **14**(2): 1, 8-11.
- Moyes, A. B. and J. A. Gamon (2003). "Prescribed fire effects on a California annual grassland." Ecological Society of America Annual Meeting Abstracts **88**: 244.
- Moyes, A. B., M. S. Witter, et al. (2005). "Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization." Restoration Ecology **13**(4): 659-666.
- Mueller-Dombois, D., and H. Ellenberg (1974). Aims and methods of vegetation science. New York, NY, Wiley Interscience.
- Munz, P. A. and D. D. Keck (1949). "California plant communities." El Aliso **2**((1)): 87-105.
- Murphy, A. H. and H. F. Heady (1983). "Vascular plants of the Hopland Field Station, Mendocino County, California." The Wasmann Journal of Biology **41**(1-2): 53-96.
- Murphy, D. D. and P. R. Ehrlich (1989). Conservation biology of California's remnant grasslands. Grassland structure and function: California annual grassland. L. F. Huenneke and H. A. Mooney. Dordrecht, Kluwer Academic Publishers: 201-211.
- NatureServe (2006). NatureServe explorer: an online encyclopedia of life, Version 4.4. Arlington, VA. Available: <http://www.natureserve.org/explorer>., NatureServe.
- NatureServe, C. N. P. S., and California Department of Fish and Game (2003). Classification of the vegetation of Point Reyes National Seashore, Golden Gate National Recreation Area, Samuel P. Taylor, Mount Tamalpais, and Tomales

- State Parks, Marin, San Francisco, and San Mateo Counties, CA. Sacramento, CA, California Department of Fish and Game, Wildlife and Habitat Data Analysis Branch.
- Nelson, C. W. and J. R. Nelson (1984). The Central Valley Riparian Mapping Project. Berkeley, University of California Press. pp. 307-313.
- Nelson, L. (1992). "National Park Service experiments with ways to restore coastal grasslands, scrub for Mission Blue butterfly habitat." Restoration and Management Notes **10**(1): 102.
- Nenzen, H. and C. Swift (2003). "Seedling recruitment and seed bank densities across ecotones between coastal sage scrub and grassland." Ecological Society of America Annual Meeting Abstracts **88**: 249-250.
- Oberbauer, T. A. (1978). Distribution dynamics of San Diego County grasslands, San Diego State University. **Biology**.
- Olmstead, A. L. and P. W. Rhode (2004). The evolution of California agriculture 1850-2000. Berkeley, CA, Giannini Foundation of Agricultural Economics.
- Pavlik, B. M., and M.G. Barbour (1986). Demography of endemic psammophytes, Eureka Valley, California, I. Seed production, dispersal, and herbivory. Sacramento, CA, State of California, Department of Fish and Game, Office of Endangered Species.
- Pavlik, B. M., and M.G. Barbour (1986). Demography of endemic psammophytes, Eureka Valley, California, II. Survivorship, seed bank dynamics, and frequency of establishment. . Sacramento, CA, State of California, Department of Fish and Game, Office of Endangered Species.
- Peters, H. A., N. R. Chiariello, et al. (2005). "Native harvester ants threatened with widespread displacement exert localized effects on serpentine grassland plant community composition." Oikos **109**(2): 351-359.
- Pickart, A. (2006). Vegetation of diked herbaceous wetlands of Humboldt Bay National Wildlife Refuge: Classification, description, and ecology. Arcata, CA, US Fish and Wildlife Service. Humboldt Bay National Wildlife Refuge.
- Pitt, M. D., and H.F. Heady (1978). "Responses of annual vegetation to temperature and rainfall patterns in Northern California." Ecology **59**: 336-350.
- Pollak, O. and T. Kan (1998). The use of prescribed fire to control invasive exotic weeds at Jepson Prairie. San Francisco, CA 94105, The Nature Conservancy, 201 Mission Street, 4th Floor. .
- Quinn, J. F. and G. R. Robinson (1987). "The effects of experimental subdivision on flowering plant diversity in a California annual grassland." Journal of Ecology **75**: 837-856.
- Rahman, A. F. and J. A. Gamon (2004). "Detecting biophysical properties of a semi-arid grassland and distinguishing burned from unburned areas with hyperspectral reflectance." Journal of Arid Environments **58**(4): 597-610.
- Rahman, A. F., J. A. Gamon, et al. (2003). "Optimum pixel size for hyperspectral studies of ecosystem function in southern California chaparral and grassland." Remote Sensing of Environment **84**(2): 192-207.
- Ratliff, R. D. (1982). "Approaches to plant community classification for the range manager." Journal of Range Management(1): 1-9.
- Ratliff, R. D. (1995). "Rangeland alpha diversities: Harvey Valley, Lassen National

- Forest, California." Great Basin Naturalist **55**(1): 46-57.
- Raven, P. H. (1977). The California flora. Terrestrial vegetation of California. M. G. Barbour and J. Major. New York, John Wiley & Sons: 109-137.
- Reeves, K. A. and J. O. Morris (1999). Savanna/grasslands restoration: will the means provide the end? Society for Ecological Restoration. Annual Conference "Reweaving the World". Oct. 1999.
- Reiner, R. J. (1999). Protecting Biodiversity on Grazed Grasslands in California. AAAS. Available at: [http://conserveonline.org/docs/2001/05/AAAS\\_Talk\\_1999.doc](http://conserveonline.org/docs/2001/05/AAAS_Talk_1999.doc).
- Reynolds, H. L., B. A. Hungate, et al. (1997). "Soil heterogeneity and plant competition in an annual grassland." Ecology (Washington D C) **78**(7): 2076-2090.
- Robertson, D. M. (2004). Relationships between historic land use, plant species composition and environmental factors in the foothills south of Mount Diablo, California. Berkeley, University of California.
- Robinson, R. H. (1968). An analysis of ecological factors limiting the distribution of a group of *Stipa pulchra* associations within the foothill woodland of California, University of Oklahoma.
- Rodriguez-Robles, J. A. (2003). "Home ranges of gopher snakes (*Pituophis catenifer*, Colubridae) in central California." Copeia **2003**(2): 391-396.
- Rodriguez-Rojo, M. P., D. Sanchez-Mata, S. Rivas-Martinez, and M.G. Barbour (2001b). "Syntaxonomical approach for classification of the Californian serpentine annual grasslands." Lazaroa **22**: 83-94.
- Rodriguez-Rojo, M. P., D. Sanchez-Mata, et al. (2001). "Typology and ecology of Californian serpentine annual grasslands." Journal of Vegetation Science **12**(5): 687-698.
- Rosier, J. R., N. A. Ronan, et al. (2006). "Post-breeding dispersal of burrowing owls in an extensive California grassland." American Midland Naturalist **155**(1): 162-167.
- Safford, H. D. and S. P. Harrison (2001). "Fire effects on plant diversity in serpentine versus non-serpentine chaparral and grassland." Ecology **85**(2): 539-548.
- Safford, H. D. and S. P. Harrison (2001). "Grazing and substrate interact to affect native vs. exotic diversity in roadside grasslands." Ecological Applications **11**(4): 1112-1122.
- Sampson, A. W. (1908). The revegetation of overgrazed range areas, preliminary report, U.S. Dept. of Agr., For. Service. Circular 158: 21 pp.
- Sampson, A. W. (1909). Natural revegetation of depleted mountain grazing lands, progress report, U.S. Dept. of Agr., For. Service. Circular 158.: 28 pp.
- Sampson, A. W. (1919). Plant succession in relation to range management, U.S. Dept. of Agri., Washington, D.C. Bull 791: 79.
- Sampson, A. W. (1923). Range and pasture management. New York John Wiley and Sons, Inc.
- Sampson, A. W. (1924). Native American forage plants. New York, Wiley and Sons, Inc.
- Sampson, A. W., A. Chase, et al. (1951). "California grasslands and range forage grasses." California Agric Expt Sta Bull **724**: 1-131.
- Savelle, G. D. (1977). Comparative structure and function in a California annual and native bunchgrass community. Berkeley, University of California. **Doctor of Philosophy in Botany**.
- Sawyer, J. O., and T. Keeler-Wolf (1995). A Manual of California Vegetation.



- Sacramento, CA, California Native Plant Society.
- Sawyer, J. O., T. Keeler-Wolf, and J.M. Evens (2007). A Manual of California vegetation, second edition. Sacramento, CA (in press), California Native Plant Society.
- Schiffman, P. M. (2005). The Los Angeles prairie. Land of sunshine: an environmental history of metropolitan Los Angeles. W. Deverell, and G. Hise. Pittsburgh, PA, University of Pittsburgh Press: 38-51 and 298-303.
- Schoenherr, A. A. (1995). A natural history of California, University of California, Press.
- Schultz, A. M. and H. H. Biswell (1952). "Competition between grasses reseeded on burned brushlands in California." Journal of Range Management **5**(5): 338-345.
- Seabloom, E. W., E.T. Borer, V.L. Boucher, R.S. Burton, K.L. Cottingham, L. Goldwasser, W.K. Gram, B.E. Kendall, and F. Micheli (2003). "Competition, seed limitation, disturbance, and reestablishment of California native annual forbs." Ecological Applications **13**: 575-592.
- Seabloom, E. W., O. N. Bjornstad, et al. (2005). "Spatial signature of environmental heterogeneity, dispersal, and competition in successional grasslands." Ecological Monographs **75**(2): 199-214.
- Seabloom, E. W., W. S. Harpole, et al. (2003). "Invasion, competitive dominance, and resource use by exotic and native California grassland species." Proceedings of the National Academy of Sciences of the United States of America **100**(23): 13384-13389.
- Seabloom, E. W. and S. A. Richards (2003). "Multiple stable equilibria within plant communities mediated by herbivore population dynamics and foraging behavior." Ecology **84**: 2891-2904.
- Seabloom, E. W., J. W. Williams, et al. (2006). "Human impacts, plant invasion, and imperiled species in California." Ecological Applications **16**: 1338-1350.
- Shreve, F. (1927). "The vegetation of a coastal mountain range." Ecology **8**((1)): 27-44.
- Shuford, D. W., G. W. Page, et al. (1998). "Patterns and dynamics of shorebird use of California's Central Valley " The Condor **100**(2): 227-244.
- Shuford, W. D., and I.C. Timossi (1989). Plant communities of Marin County. Sacramento, CA, California Native Plant Society.
- Sims, P. L., and P.G. Risser (2000). Grasslands. North American terrestrial vegetation. M. G. Barbour, and W.D. Billings. New York, NY, Cambridge University Press: 323-356.
- Solomeshch, A. and M. Barbour (2006). "Defining restoration targets for the Great Valley Grassland State Park (San Joaquin Valley)." Grasslands **16**(2): 1,12-17.
- Solomeshch, A. I. and M. G. Barbour (2003). "Reconstruction of California native grasslands." Ecological Society of America Annual Meeting Abstracts **88**: 315.
- Solomeshch, A. I. and M. G. Barbour (2004). "Diversity of native species assemblages in California Central Valley grasslands." Ecological Society of America Annual Meeting Abstracts **89**: 478.
- Stebbins, G. L. and J. Major (1965). "Endemism and speciation in the California flora." Ecol Monogr **35**((1)): 1-35.
- Steenwerth, K. L., L. E. Jackson, et al. (2002). "Soil microbial community composition and land use history in cultivated and grassland ecosystems of coastal California." Soil Biology & Biochemistry **34**(11): 1599-1611.

- Stromberg, M. R. (2001). "Composition, invasibility, and diversity in coastal California grasslands." Madroño **48**(4): 236-252.
- Stromberg, M. R., J. D. Corbin, et al. (2007). California Grasslands: ecology and management. Berkeley, CA, University of California Press.
- Stromberg, M. R. and J. R. Griffin (1996). "Long-term patterns in coastal California grasslands in relation to cultivation, gophers, and grazing." Ecological Applications **6**(4): 1189-1211.
- Stromberg, M. R. and P. Kephart (1996). "Restoring native grasses in California old fields." Restoration and Management Notes **14**: 102-111.
- Sugihara, N. G. and L. J. Reed (1987). "Vegetation of the bald hills oak woodlands, Redwood National Park, California." Madroño **34**(3): 193-208.
- Talbot, M. W., H. H. Biswell, et al. (1939). "Fluctuations in the annual vegetation of California." Ecology **20**(3): 394-402.
- Talbot, M. W. and A. W. Sampson (1948). "The Range in California." Yearbook of Agriculture **No. 2086**: 575-582.
- Ter Braak, C. J. F., and P. Smilauer (1998). CANOCO reference manual and user's guide to Canoco for Windows: software for canonical community ordination (version 4). Ithaca, NY, Microcomputer Power.
- Thomas, K., T. Keeler-Wolf, J. Franklin, and P. Stine. (2004). Mojave Desert Ecosystem Program: Central Mojave vegetation database. Sacramento, CA, United States Geological Survey, Western Ecological Research Center and Southwest Biological Science Center.
- Thomsen, M. A., C. M. D'Antonio, et al. (2006). "Ecological resistance, seed density and their interactions determine patterns of invasion in a California coastal grassland." Ecology Letters **9**(2): 160-170.
- Thorne, J. H., J. A. Kennedy, et al. (2004). "A vegetation map of Napa County using the Manual of California Vegetation classification and its comparison to other digital vegetation maps." Madroño **51**(4): 343-363.
- Thorne, R. F. (1976). The vascular plant communities of California. Plant communities of Southern California. J. Latting. Sacramento, California Native Plant Society. **Special Publication No. 2**: 1-31.
- Tilman, D. and J. A. Downing (1994). "Biodiversity and stability in grasslands." Nature **367**: 363-365.
- Twisselman, E. C. (1956). "A flora of the Temblor Range and the neighboring part of the San Joaquin Valley." The Wasmann Journal of Biology **14**(2): 161-300.
- USFWS (1998). Recovery plan for upland species of the San Joaquin Valley, California. U.S. Fish and Wildlife Service. Region 1. Portland, OR: 319 pp.
- Vreeland, J. K. and W. D. Tietjie (2004). "Vegetative structure of woodland-grassland edges in coastal central California." Southwestern Naturalist **49**(3): 305-310.
- Weiss, S. B. (1999). "Cars, cows, and checkerspot butterflies: nitrogen deposition and management of nutrient-poor grasslands for a threatened species." Conservation Biology **13**: 1478-1486.
- Weiss, S. B. (2003). "Serpentine grassland restoration at Edgewood Natural Preserve, San Mateo County." Grasslands **13**(1): 7.
- Weiss, S. B., D. D. Murphy, et al. (1988). "Sun, slope, and butterflies: topographic determinants of habitat quality for *Euphydryas editha*." Ecology **69**(5): 1486-

1496.

- West, N. E., and J.A. Young (2000). Intermountain valleys and lower mountain slopes. North American terrestrial vegetation. M. G. Barbour, and W.D. Billings. New York, NY, Cambridge University Press: 255-284.
- Wester, L. (1981). "Composition of native grasslands in the San Joaquin Valley, California." Madroño **28**: 231-241.
- White, K. L. (1967). "Native bunchgrass (*Stipa pulchra*) on Hastings Reservation, California." Ecology **48**((6)): 949-955.
- White, K. L. (1967). "Native bunchgrass *Stipa pulchra* on Hastings Reservation, California." Ecology **48**(6): 950-955.
- Whittaker, R. H. (1961). "Vegetation history of the Pacific Coast states and the "central" relation of the Klamath Region." Madrono **16**((1)): 5-23.
- Williamson, J. and S. Harrison (2002). "Biotic and abiotic limits to the spread of exotic revegetation species." Ecological Applications **12**(1): 40-51.
- Wilsey, B. J. (2005). Importance of species replication in understanding plant invasions into North American grasslands. Invasive Plants: Ecological and Agricultural Aspects: 61-75.
- Wolf, A. T., S. P. Harrison, et al. (2000). "Influence of habitat patchiness on genetic diversity and spatial structure of a serpentine endemic plant." Conservation Biology **14**(2): 454-463.
- Woolfolk, E. J. and J. N. Reppert (1963). Then and now: changes in California annual-type range vegetation. U. S. F. S. R. N. PSW-N24. Berkeley, CA, U.S.D.A. Forest Service, Pacific Southwest Forest and Range Experiment Station: 9 pp.
- Wright, H. A., and J.O. Klemmedson (1965). "Effects of fire on bunchgrasses of the sagebrush region of southern Idaho." Ecology **46**: 680-688.
- Wu, J. and S. A. Levin (1994). "A spatial patch dynamic modeling approach to pattern and process in an annual grassland." Ecological Monographs **64**(4): 447-464.
- Yoshida, T. M. and E. W. Seabloom (2004). "Forb invasions in California perennial grasslands." Ecological Society of America Annual Meeting Abstracts **89**: 560.
- Young, J. A., and C.D. Clements (1999). Native perennial grass communities of the Carson Desert of northwestern Nevada. Proceedings: shrubland ecotones. Report Proceedings RMRS-P-11. E. D. McArthur, W.K. Ostler, and C.L. Wambolt. Ogden, UT, USDA Forest Service, Rocky Mountain Research Station: 133-136.
- Young, R. P. and R. F. Miller (1985). "Response of *Sitanion hystrix* (Nutt.) J. G. to prescribed burning." The American Midland Naturalist **113**(1): 182-187.
- Zavaleta, E. S. (2006). "Shrub establishment under experimental global changes in a California grassland." Plant Ecology **184**(1): 53-63.
- Zavaleta, E. S., C. B. Field, et al. (2001). "Interacting global changes influence diversity and species composition in a California annual grassland." Ecological Society of America Annual Meeting Abstracts **86**: 243.
- Zavaleta, E. S. and K. B. Hulvey (2004). "Vulnerable species losses disproportionately affect grassland invasibility." Ecological Society of America Annual Meeting Abstracts **89**: 564.
- Zavaleta, E. S. and K. B. Hulvey (2007). "Realistic variation in species composition affects grassland production, resource use and invasion resistance." Plant

Ecology **188**(1): 39-51.

Zavaleta, E. S. and L. S. Kettley (2006). "Ecosystem change along a woody invasion chronosequence in a California grassland." Journal of Arid Environments **66**(2): 290-306.